



We're here for you...

We have designed this Quick Start guide so that you can begin enjoying your MachLink® Internet service as quickly as possible. If you are unable to connect to MachLink, call the MachLink® HelpDesk. You will be connected to a specialized technician at our central support desk who can diagnose the problem. You will be asked a series of standard questions that will help the technician pinpoint the problem. The MachLink® HelpDesk can address many of your problems over the telephone. You can also email any questions or issues to MachLink®.

Remember, we're here for you!

MachLink® HelpDesk

Phone: (563) 263-2631

Email: helpdesk@machlink.com


Email Account Setup

We have instructions for setting up your email account in many different clients, but this document will deal only with setting up Sylpheed. Sylpheed for Windows may be downloaded and installed from <http://sylpheed.sraoss.jp/en>. Sylpheed for Linux may be retrieved and installed using apt-get, yum, or the SMART package manager.


These instructions will cover only account setup within Sylpheed. The Sylpheed account setup wizard may start automatically. If it does, skip to step 2...

Sylpheed

1. Select **Create new account** from the *Configuration* menu.
2. If this is your very first time setting up Sylpheed, you will see the message below. Just click on OK. Skip to the next step if you don't see this message.




3. On the *Basic* tab, enter your *Full Name*.




The screenshot shows the 'Preferences for new account' dialog box with the 'Basic' tab selected. The 'Name of this account' field contains 'testerbob@machlink.com' and the 'Set as default' checkbox is checked. Under 'Personal information', the 'Full name' field contains 'Bob A Tester', the 'Mail address' field contains 'testerbob@machlink.com', and the 'Organization' field is empty. Under 'Server information', the 'Protocol' dropdown is set to 'POP3', the 'Server for receiving' field contains 'mail.machlink.com', the 'SMTP server (send)' field contains 'mail.machlink.com', the 'User ID' field contains 'testerbob', and the 'Password' field contains '*****'. The 'OK' and 'Cancel' buttons are at the bottom right.

4. Enter your full email address in both the *Mail address* and the *Name of this account* fields.
5. For *User ID*, enter only the name part of your email address. In other words, everything up to - but not including - the “@” sign.
6. Enter your password in the *Password* field.
7. For both the servers, enter “mail.machlink.com.”
8. On the *Send* tab, make sure your settings match those below.



The screenshot shows the 'Preferences for new account' dialog box with the 'Send' tab selected. Under 'Header', the 'Add Date header field' and 'Generate Message-ID' checkboxes are checked, and the 'Add user-defined header' checkbox is unchecked. Under 'Authentication', the 'SMTP Authentication (SMTP AUTH)' checkbox is unchecked, the 'Authentication method' dropdown is set to 'Automatic', the 'User ID' and 'Password' fields are empty, and the 'Authenticate with POP3 before sending' checkbox is checked. A note below the fields states: 'If you leave these entries empty, the same user ID and password as receiving will be used.' The 'OK' and 'Cancel' buttons are at the bottom right.

9. On the *Receive* tab, make sure your settings match those below.



10. Click OK.

11. This will drop you to the *Edit accounts* window. Click on Close.

